



# Global Poultry

## EQUIPMENTS

Compania noastra furnizeaza echipamente de inalta calitate pentru crestere pasari, incubatie, producatori oua, abatoare pasari/porci/vaci si colaboram doar cu persoane juridice din Romania, Bulgaria, Ungaria si Rp. Moldova.

Furnizam produsele noastre doar la palet, cutii complete. Plata se face in avans in Euro, direct furnizorilor nostri exclusivi din Italia, Olanda, Franta, transportul este separat si se poate face cu transportatorul nostru sau cu transportatorul dvs.

**Tabuia Adrian  
CEO & Partner**

**Mobil:+40769670801**

**Email: tabuia.adrian@yahoo.com**

**Web: www.globalpoultryequipments.com**

# INDEX

	- Drinkers for poultry	PAGE	1.1	
	- Drinkers for rabbits	PAGE	1.7	
	- Drinkers for pigeons	PAGE	1.8	
	- Drinkers for pigs	PAGE	1.9	
	- Feeders for poultry	PAGE	2.1	
	- Feeders for rabbits	PAGE	2.11	
	- Feeders - various	PAGE	2.13	
	- Feeders for pigeons	PAGE	2.13	
	- Incubators	PAGE	3.1	
	- Accessories	PAGE	3.4	
	- Heaters	PAGE	3.5	
	- Plucking machines	PAGE	4.1	
	- Accessories	PAGE	4.2	
	- Grinding mills	PAGE	5.1	
	- Accessories	PAGE	6.1	

## ANNEXES

- Drinkers with handle	PAGE	I
- Drinkers with handle and legs	PAGE	II
- Disc bottle holder drinker	PAGE	III
- Horizontal nipple drinker STILLA	PAGE	IV
- Treadle feeders ALMA	PAGE	V
- Feeders COMPACTA	PAGE	VI
- Feeders ARCUS	PAGE	VII
- Feeders ARCUS GYRO	PAGE	VIII
- Feeders with legs	PAGE	IX
- 500 Kg feeder GRANDIA	PAGE	X
- Turkey feeders	PAGE	XI
- Incubator ET 12 semi-automatic	PAGE	XII
- Incubator ET 24 semi-automatic	PAGE	XIII
- Incubator ET 49 semi-automatic	PAGE	XIV
- Ultrasonic humidifier for humidity control NEBULA	PAG.	XV
- Plucking machines PIUMINA	PAGE	XVI
- Plucking machine PIUMONA	PAGE	XVII



# Global Poultry

## EQUIPMENTS



## Hobby Line

### DRINKERS for poultry

Art.	Art. No.	Description
	<b>137/A</b>	<p><b>Disc bottle holder drinker for chicks</b>  <i>Packing in carton: 15 pcs. – Vol. 0,045 m<sup>3</sup> – Kg. 3,27</i>  <i>630 pcs. on pallet 120x80x245 cm</i>  <i>810 pcs. on pallet 120x100x236 cm</i>  <i>Animals/drinker: 10 chicks</i></p>
	<b>137</b>	<p><b>1,5 litre plastic poultry drinker</b>  <i>Packing in carton: 25 pcs. – Vol. 0,045 m<sup>3</sup> – Kg. 5,0</i>  <i>800 pcs. on pallet 120x80x234 cm</i>  <i>1200 pcs. on pallet 120x109x230 cm</i>  <i>Animals/drinker: 2-3 chickens</i></p>
	<b>138</b>	<p><b>3 litre plastic poultry drinker</b>  <i>Packing in carton: 25 pcs. – Vol. 0,074 m<sup>3</sup> – Kg. 6,0</i>  <i>650 pcs. on pallet 120x80x229 cm</i>  <i>900 pcs. on pallet 120x100x231 cm</i>  <i>Animals/drinker: 4-5 chickens</i></p>
	<b>139</b>	<p><b>5 litre plastic poultry drinker</b>  <i>Packing in carton: 25 pcs. – Vol. 0,087 m<sup>3</sup> – Kg. 9,5</i>  <i>450 pcs. on pallet 120x80x235 cm</i>  <i>650 pcs. on pallet 120x100x235 cm</i>  <i>Animals/drinker: 6-8 chickens</i></p>
	<b>140</b>	<p><b>10 litre plastic poultry drinker</b>  <i>Packing in carton: 10 pcs. – Vol. 0,095 m<sup>3</sup> – Kg. 8,0</i>  <i>200 pcs. on pallet 123x80x219 cm</i>  <i>250 pcs. on pallet 123x102x219 cm</i>  <i>Animals/drinker: 10 chickens</i></p>
	<b>139/MN</b>	<p><b>5 litre plastic poultry drinker with handle</b>  <i>Packing in carton: 10 pcs. – Vol. 0,113 m<sup>3</sup> – Kg. 7,80</i>  <i>140 pcs. on pallet 120x80x242 cm</i>  <i>240 pcs. on pallet 127x106x235 cm</i></p>
	<b>139/MN/P</b>	<p><b>5 litre plastic poultry drinker with handle and legs</b>  <i>Packing in carton: 10 pcs. – Vol. 0,113 m<sup>3</sup> – Kg. 8,45</i>  <i>140 pcs. on pallet 120x80x242 cm</i>  <i>240 pcs. on pallet 127x106x235 cm</i></p>

## Hobby Line

### DRINKERS for poultry

Art.	Art. No.	Description	
	<b>140/MN</b>	<p><b>10 litre plastic poultry drinker with handle</b>  <i>Packing in carton: 10 pcs. – Vol. 0,136 m<sup>3</sup> – Kg. 8,74</i>  <i>120 pcs. on pallet 120x80x241 cm</i>  <i>180 pcs. on pallet 124x100x241 cm</i>  <i>In container 20': 3.200 pcs. stacked</i></p>	
	<b>140/MN/P</b>	<p><b>10 litre plastic poultry drinker with handle and legs</b>  <i>Packing in carton: 10 pcs. – Vol. 0,136 m<sup>3</sup> – Kg. 9,39</i>  <i>120 pcs. on pallet 120x80x241 cm</i>  <i>180 pcs. on pallet 124x100x241 cm</i></p>	
	<b>1415</b>	<p><b>15 litre plastic poultry drinker with handle</b>  <i>Packing in carton: 8 pcs. – Vol. 0,144 m<sup>3</sup> – Kg. 8,18</i>  <i>96 pcs. on pallet 120x80x241 cm</i>  <i>144 pcs. on pallet 124x100x241 cm</i>  <i>Animals/drinker: ~18 chickens</i></p>	
	<b>1415P</b>	<p><b>15 litre plastic poultry drinker with handle and legs</b>  <i>Packing in carton: 8 pcs. – Vol. 0,144 m<sup>3</sup> – Kg. 8,66</i>  <i>96 pcs. on pallet 120x80x241 cm</i>  <i>144 pcs. on pallet 124x100x241 cm</i>  <i>Animals/drinker: ~18 chickens</i></p>	

## Hobby Line

### DRINKERS for poultry

Art.	Art. No.	Description
	<b>140/B</b>	<p><b>15 litre plastic poultry drinker with handle cap</b>  <i>Packing in carton: 4 pcs. – Vol. 0,113 m<sup>3</sup> – Kg. 4,40</i>  <i>56 pcs. on pallet 120x80x242 cm</i>  <i>96 pcs. on pallet 127x106x235 cm</i>  <i>Animals/drinker: 15 chickens</i></p>
	<b>140/B/P</b>	<p><b>15 litre plastic poultry drinker with handle cap and legs</b>  <i>Packing in carton: 4 pcs. – Vol. 0,113 m<sup>3</sup> – Kg. 4,66</i>  <i>56 pcs. on pallet 120x80x242 cm</i>  <i>96 pcs. on pallet 127x106x235 cm</i>  <i>Animals/drinker: 15 chickens</i></p>
	<b>1801</b>	<p><b>4-piece kit of push-in legs in neutral bag</b>  <i>Packing in bag: 4 pcs. – Kg. 0,06</i></p>
	<b>1801-90</b>	<p><b>4-piece kit of push-in legs in hangable bag</b>  <i>Confez. in sacchetto: 4 pcs. – Kg. 0,06</i></p>
	<b>1401</b>	<p><b>“STILLA”</b>  <b>Side mounted horizontal nipple drinker</b>  <i>Packing in bag or carton</i>  <i>Animals/drinker: 4-5 chickens</i></p>




## Hobby Line

### DRINKERS for poultry

Art.	Art. No.	Description	
	<b>141</b>	<p><b>Constant level galvanised tripod drinker type 30 litres for chickens / laying hens / turkeys. Actual capacity: approx. 22 litres</b></p> <p><i>Packing in carton: 1 pcs. – Vol. 0,049 m<sup>3</sup> – Kg. 3,56 36 pcs. on pallet 120x80x224 cm 51 pcs. on pallet 120x105x224 cm</i></p>	
	<b>141/A</b>	<p><b>Constant level plastic tripod drinker type 30 litres for chickens / laying hens / turkeys. Actual capacity: approx. 24 litres</b></p> <p><i>Packing in carton: 1 pcs. – Vol. 0,070 m<sup>3</sup> – Kg. 3,0 24 pcs. on pallet 120x80x224 cm 36 pcs. on pallet 120x105x232 cm</i></p>	
	<b>8020</b>	<p><b>Hanging automatic bell drinker with valve for 6x9mm hose - for chickens / laying hens / poulets (day-old turkeys)</b></p> <p><i>Packing in carton: 10 pcs. – Vol. 0,091 m<sup>3</sup> – Kg. 15,0 200 pcs. on pallet 123x80x219 cm 250 pcs. on pallet 123x102x219 cm In container 20': 6.000 pcs. stacked</i></p>	
	<b>8021</b>	<p><b>Hanging automatic bell drinker with valve for 6x9mm hose, complete with 2m of hose and saddle connector</b></p>	
	<b>8022</b>	<p><b>Hanging automatic bell drinker with valve for 6x9mm hose, complete with 3m of hose and saddle connector</b></p>	
	<b>8023</b>	<p><b>Hanging automatic bell drinker with valve for 12x17mm hose - for chickens / laying hens / poulets (day-old turkeys)</b></p> <p><i>Packing in carton: 10 pcs. – Vol. 0,091 m<sup>3</sup> – Kg. 15,0 200 pcs. on pallet 123x80x219 cm 250 pcs. on pallet 123x102x219 cm In container 20': 6.000 pcs. stacked</i></p>	

## Hobby Line

### DRINKERS for poultry

Art.	Art. No.	Description
	<b>8024</b>	<b>Hanging automatic bell drinker with valve for 12x17mm hose, complete with 2m of hose and saddle connector</b>
	<b>8025</b>	<b>Hanging automatic bell drinker with valve for 12x17mm hose, complete with 3m of hose and saddle connector</b>
	<b>1020</b>	<b>White saddle connector for automatic bell drinker item no. 8020-8021-8022</b>
	<b>143/A</b>	<b>Saddle connector for automatic bell drinker item no. 8023-8024-8025</b>
	<b>4105-05</b>	<b>PVC black pipe 6x9mm</b> <i>Packing in roll: 50 m</i>
	<b>239</b>	<b>PVC green hose 12x17mm</b>

## Hobby Line

### DRINKERS for poultry

Art.	Art. No.	Description	
	<b>144</b>	<b>Linear drinker with L=2 m stainless steel trough, for chicks / chickens / laying hens</b> <i>Packing: 3 pcs. – Vol. 0,024 m<sup>3</sup> – Kg. 15,7</i>	
	<b>142</b>	<b>Galvanised hanging drinker L=300 mm</b> <i>Packing in carton: 24 pcs. – Vol. 0,05 m<sup>3</sup> – Kg. 6,40 816 pcs. on pallet 120x80x245 cm 1224 pcs. on pallet 120x100x245 cm</i>	
	<b>142/A</b>	<b>Galvanised hanging drinker L=410 mm</b> <i>Packing in carton: 24 pcs. – Vol. 0,066 m<sup>3</sup> – Kg. 7,60 816 pcs. on pallet 122x86x230 cm 816 pcs. on pallet 122x100x230 cm</i>	
	<b>142/B</b>	<b>Galvanised hanging drinker L=500 mm</b> <i>Packing in carton: 24 pcs. – Vol. 0,097 m<sup>3</sup> – Kg. 8,90 384 pcs. on pallet 120x80x222 cm 672 pcs. on pallet 124x104x230 cm</i>	
	<b>142/C</b>	<b>Galvanised hanging drinker L=600 mm</b> <i>Packing in carton: 24 pcs. – Vol. 0,132 m<sup>3</sup> – Kg. 9,90 384 pcs. on pallet 126x84x214 cm 480 pcs. on pallet 126x100x224 cm</i>	
	<b>142/D</b>	<b>Galvanised hanging drinker L=1000 mm</b> <i>Packing in carton: 24 pcs. – Vol. 0,214 m<sup>3</sup> – Kg. 15,50 192 pcs. on pallet 120x84x214 cm 288 pcs. on pallet 126x102x214 cm</i>	
	<b>8001</b>	<b>Free range drinking system</b> – dim. 60x118 cm, h=80 cm, adjustable height from 7 to 70 cm from the ground. 16 stainless steel 360° nipples <i>Packing in carton: 1 pcs.</i>	
	<b>8002</b>	<b>NEW</b> <b>Drinking system with horizontal drinker Stilla</b> Dim. 60x118 cm, h=80 cm, adjustable height from 7 to 70 cm from the ground. 16 Stilla nipples <i>Packing in carton: 1 pcs.</i>	

## Hobby Line

### DRINKERS for rabbits

Art.	Art. No.	Description
	<b>145</b>	<b>Galvanised bottle holder drinker with plastic ring</b> <i>Packing in carton: 50 pcs. – Vol. 0,045 m<sup>3</sup> – Kg. 7,5</i> <i>1600 pcs. on pallet 120x80x234 cm</i> <i>2400 pcs. on pallet 120x102x234 cm</i>
	<b>145/A</b>	<b>Plastic bottle holder drinker</b> <i>Packing in carton: 100 pcs. – Vol. 0,078 m<sup>3</sup> – Kg. 11,7</i> <i>2400 pcs. on pallet 122x81x212 cm</i> <i>3000 pcs. on pallet 122x102x212 cm</i>
	<b>145/N</b>	<b>Galvanised bottle holder drinker</b> <i>Packing in carton: 50 pcs. – Vol. 0,067 m<sup>3</sup> – Kg. 7,67</i> <i>1500 pcs. on pallet 120x81x219 cm</i>
	<b>145/B</b>	<b>Clip drinker in stainless steel, complete with nipple holder and stainless steel nipple</b> <i>Packing in carton: 300 pcs. – Vol. 0,027 m<sup>3</sup> – Kg. 9,0</i>
	<b>145/B/CLIP</b>	<b>Stainless steel clip with nipple holder</b> <i>Packing in carton</i>
	<b>145/M</b>	<b>Screw bracket drinker (screws excluded) complete with nipple holder, T connection and stainless steel nipple</b> <i>Packing in carton: 300 pcs. – Vol. 0,027 m<sup>3</sup> – Kg. 13,5</i>
	<b>145/M/CLIP</b>	<b>Screw bracket (screws excluded) complete with nipple holder, T connection</b> <i>Packing in carton</i>

## Hobby Line

### DRINKERS for rabbits

Art.	Art. No.	Description
	<b>145/F</b>	<b>Drinker with 0,5 l tank, stainless steel nipple</b> <i>Packing in carton: 24 pcs. – Vol. 0,026 m<sup>3</sup> – Kg. 2,73</i> <i>1824 pcs. on pallet 120x80x248 cm</i> <i>2400 pcs. on pallet 120x100x248 cm</i>
	<b>145/G</b>	<b>Drinker with 1 l tank, stainless steel nipple</b> <i>Packing in carton: 24 pcs. – Vol. 0,040 m<sup>3</sup> – Kg. 3,84</i> <i>1152 pcs. on pallet 120x80x242 cm</i> <i>1440 pcs. on pallet 120x100x242 cm</i>
	<b>145/H</b>	<b>Automatic drinker with 6 cm basin – in plastic (nylon)</b> <i>Packing in carton: 10 pcs. – Vol. 0,019 m<sup>3</sup> – Kg. 2,28</i> <i>1020 pcs. on pallet 120x80x239 cm</i> <i>1200 pcs. on pallet 120x100x242 cm</i>
	<b>145/I</b>	<b>Automatic drinker with 12 cm basin – in plastic (nylon)</b> <i>Packing in carton: 10 pcs. – Vol. 0,019 m<sup>3</sup> – Kg. 3,18</i> <i>1020 pcs. on pallet 120x80x239 cm</i> <i>1200 pcs. on pallet 120x100x242 cm</i>
	<b>145/D</b>	<b>Stainless steel nipple, threaded</b> <i>Packing in carton: 1.500 pcs. – Vol. 0,026 m<sup>3</sup> – Kg. 21</i>
	<b>145/EN</b>	<b>Plastic water tank with cover and ball valve (black)</b> <i>Packing in carton</i>
	<b>145/E</b>	<b>Plastic water tank with cover and ball valve (white)</b> <i>Packing in carton</i>

### DRINKERS for pigeons

	<b>140/E</b>	<b>Siphon drinker</b> <i>Packing in carton: 10 pcs. – Vol. 0,20 m<sup>3</sup> – Kg. 6,2</i> <i>100 pcs. on pallet 120x82x249 cm</i> <i>150 pcs. on pallet 123x108x249 cm</i>
---	--------------	---

## Hobby Line

### DRINKERS for pigs

Art.	Art. No.	Description	
	<b>6130-5</b>	<b>Nipple drinker for piglets 1/2", in stainless steel, Ø 16 mm</b> <i>Packing in bag: 20 pcs.</i>	
	<b>6131-5</b>	<b>Nipple drinker for fattening 1/2", in stainless steel, Ø 20 mm</b> <i>Packing in bag: 20 pcs.</i>	
	<b>6132-5</b>	<b>Nipple drinker 1/2" for sows and boars, in stainless steel, Ø 25 mm</b> <i>Packing in bag: 20 pcs.</i>	
	<b>6133-5</b>	<b>Nipple drinker 3/4" for sows and boars, in stainless steel, Ø 25 mm</b> <i>Packing in bag: 20 pcs.</i>	

## Hobby Line


### DRINKERS for pigs

Art.	Art. No.	Description	
	<b>6110-5</b>	<b>Nipple for bowl drinker 1/2" short, in stainless steel</b> <i>Packing in bag: 20 pcs.</i>	
	<b>6111-5</b>	<b>Trough-nipple 1/2" short, in stainless steel</b> <i>Packing in bag: 20 pcs.</i>	
	<b>6112-5</b>	<b>Trough-nipple 1/2" long, in stainless steel</b> <i>Packing in bag: 20 pcs.</i>	
	<b>6113-5</b>	<b>Socket, female thread 1/2" in stainless steel</b> <i>Packing in bag: 20 pcs.</i>	
	<b>6201</b>	<b>Bracket 1/2" 15°, in stainless steel, acid-resistant</b> <i>Packing in bag: 10 pcs.</i>	
	<b>6202</b>	<b>Bracket 1/2" 45°, in stainless steel, acid-resistant</b> <i>Packing in bag: 10 pcs.</i>	

## DRINKERS WITH HANDLE

### Art. 139/MN - 140/MN - 1415

The drinkers with handle have the following characteristics:



They are available in three capacities:



**Art. 139/MN**  
5 litre plastic drinker



**Art. 140/MN**  
10 litre plastic drinker



**Art. 1415**  
15 litre plastic drinker

## DRINKERS WITH HANDLE AND LEGS

**Art. 139/MN/P - 140/MN/P - 1415P - 140/B/P**

The push-in legs lift the plastic drinkers by 65 mm (approx. 2,56") off the ground, keeping the water free from floor contamination, and allowing your animals to drink more comfortably. They can be inserted or removed as necessary. They come in a 4-piece kit, all contained within a plastic bag.



The plastic drinkers complete with legs are the following:



**Art. 139/MN/P**  
5 litre plastic drinker  
with legs

**Art. 140/MN/P**  
10 litre plastic drinker  
with legs

**Art. 1415P**  
15 litre plastic drinker  
with legs

**Art. 140/B/P**  
15 litre plastic drinker  
with handle cap and legs

## DISC BOTTLE HOLDER DRINKER

### Art. 137/A

The disc bottle holder drinker for chicks is functional and user-friendly and is suitable for various types of bottles available in the market.



The size of the holes allow the chicks to drink without getting wet or falling into the drinker.

The edges of the 10 holes where the chicks drink from are rounded off and trimmed to prevent animals from being hurt.

The chosen adaptor, once screwed on the bottle, shall be snapped into the specific central hole.

To refill the bottle you can either pull it out along with the insert or unscrew it.


Improved coupling between plate and upper disc.

The drinker is supplied with **3 adaptors**, each one having different diameters and threads. Suitable for various types of plastic bottles available in the market.

## HORIZONTAL NIPPLE DRINKER “STILLA”

### Art. 1401

The nipple drinker Stillा can be screw-mounted on a variety of recipients to supply your poultry always clean water. Its shape and threaded support allow to mount it easily and quickly without using any tool: just make on the bottom of the recipient wall as many holes as the Stillа drinkers you want to install, then fasten them. Its sturdy design and the first quality materials assure a long life with little maintenance. The small cup at the bottom recuperates any droplet. The drinker, working at 360°, is operated by a spring that along with an O-ring assures its tightness: the bird gets the water out of the recipient by pushing or moving the stainless steel pin. Its bright yellow colouring allows animals to locate it easily while its distinctive shape allows them to drink in a simple and ergonomic way. Stillа is recommended for poultry.





# Global Poultry

## EQUIPMENTS

### FEEDERS



## Hobby Line

### FEEDERS for poultry

Art.	Art. No.	Description	
	<b>125/A</b>	<p><b>Plastic poultry feeder with lid, metal central rod and anti-waste profile – capacity 9 litres</b></p> <p><i>Packing in carton: 5 pcs. – Vol. 0,070 m<sup>3</sup> – Kg. 5,83</i>  <i>120 pcs. on pallet 120x80x227 cm / 150 pcs. on pallet 120x100x227 cm</i>  <i>In container: 20': 3.800 pcs. / 40': 7.800 pcs. / 40' HC 9.200 pcs.</i>  <i>Animals/feeder: 4-5 chickens</i></p>	
	<b>125/A/P</b>	<p><b>Plastic poultry feeder with lid, metal central rod, anti-waste profile and legs – capacity 9 litres</b></p> <p><i>Packing in carton: 5 pcs. – Vol. 0,070 m<sup>3</sup> – Kg. 6,16</i>  <i>120 pcs. on pallet 120x80x227 cm</i>  <i>150 pcs. on pallet 120x100x227 cm</i>  <i>Animals/feeder: 4-5 chickens</i></p>	
	<b>126/A</b>	<p><b>Plastic poultry feeder with lid, metal central rod and anti-waste profile – capacity 20 litres</b></p> <p><i>Packing in carton: 5 pcs. – Vol. 0,135 m<sup>3</sup> – Kg. 8,75</i>  <i>50 pcs. on pallet 120x80x228 cm / 80 pcs. on pallet 120x100x228 cm</i>  <i>125 pcs. on pallet 120x137x228 cm</i>  <i>In container: 20': 2.000 pcs. / 40': 4.300 pcs. / 40' HC 5.050 pcs. stacked</i>  <i>Animals/feeder: 10 chickens</i></p>	
	<b>126/A/P</b>	<p><b>Plastic poultry feeder with lid, metal central rod, anti-waste profile and legs – capacity 20 litres</b></p> <p><i>Packing in carton: 5 pcs. – Vol. 0,135 m<sup>3</sup> – Kg. 9,07</i>  <i>50 pcs. on pallet 120x80x228 cm</i>  <i>80 pcs. on pallet 120x100x228 cm</i>  <i>125 pcs. on pallet 120x137x228 cm</i>  <i>Animals/feeder: 10 chickens</i></p>	
	<b>125/A/R</b>	<p><b>Plastic poultry feeder with threaded bar for adjustment, lid and anti-waste profile – capacity 9 litres</b></p> <p><i>Packing in carton: 5 pcs. – Vol. 0,070 m<sup>3</sup> – Kg. 5,83</i>  <i>Pallets and containers as in art. 125/A</i>  <i>Animals/feeder: 4-5 chickens</i></p>	
	<b>126/A/R</b>	<p><b>Plastic poultry feeder with threaded bar for adjustment, lid and anti-waste profile – capacity 20 litres</b></p> <p><i>Packing in carton: 5 pcs. – Vol. 0,135 m<sup>3</sup> – Kg. 8,75</i>  <i>Pallets and containers as in art. 126/A</i>  <i>Animals/feeder: 10 chickens</i></p>	
	<b>125/AR/P</b>	<p><b>Plastic poultry feeder with threaded bar for adjustment, lid, anti-waste profile and legs – capacity 9 litres</b></p> <p><i>Packing in carton: 5 pcs. – Vol. 0,070 m<sup>3</sup> – Kg. 6,16</i>  <i>Pallets as in art. 125/A</i>  <i>Animals/feeder: 4-5 chickens</i></p>	

## Hobby Line

### FEEDERS for poultry

Art.	Art. No.	Description	
	<b>126/AR/P</b>	<p><b>Plastic poultry feeder with threaded bar for adjustment, lid, anti-waste profile and legs – capacity 20 litres</b></p> <p><i>Packing in carton: 5 pcs. – Vol. 0,135 m<sup>3</sup> – Kg. 9,07</i>  <i>Pallets as in art. 126/A</i>  <i>Animals/feeder: 10 chickens</i></p>	
	<b>2110</b>	<p><b>“ARCUS”</b>  <b>Plastic poultry feeder with metal central rod, lid, and anti-waste profile and fins – capacity 9 litres</b></p> <p><i>Packing in carton: 5 pcs. – Vol. 0,070 m<sup>3</sup></i>  <i>120 pcs. on pallet 120x80x227 cm / 150 pcs. on pallet 120x100x227 cm</i>  <i>In container: 20': 3.800 pcs./ 40': 7.800 pcs./ 40' HC 9.200 pcs.</i>  <i>stacked</i>  <i>Animals/feeder: 4-5 chickens</i></p>	
	<b>2110P</b>	<p><b>“ARCUS”</b>  <b>Plastic poultry feeder with metal central rod, anti-waste profile and fins, lid, and legs – capacity 9 litres</b></p> <p><i>Packing in carton: 5 pcs. – Vol. 0,070 m<sup>3</sup></i>  <i>120 pcs. on pallet 120x80x227 cm</i>  <i>150 pcs. on pallet 120x100x227 cm</i>  <i>Animals/feeder: 4-5 chickens</i></p>	
	<b>2120</b>	<p><b>“ARCUS”</b>  <b>Plastic poultry feeder with metal central rod, lid, and anti-waste profile and fins – capacity 20 litres</b></p> <p><i>Packing in carton: 5 pcs. – Vol. 0,135 m<sup>3</sup></i>  <i>50 pcs. on pallet 120x80x228 cm/ 80 pcs. on pallet 120x100x228 cm</i>  <i>125 pcs. on pallet 120x137x228 cm</i>  <i>In container: 20': 2.000 pcs./ 40': 4.300 pcs./ 40' HC 5.050 pcs. stacked</i>  <i>Animals/feeder: 10 chickens</i></p>	
	<b>2120P</b>	<p><b>“ARCUS”</b>  <b>Plastic poultry feeder with metal central rod, anti-waste profile and fins, lid, and legs – capacity 20 litres</b></p> <p><i>Packing in carton: 5 pcs. – Vol. 0,135 m<sup>3</sup></i>  <i>50 pcs. on pallet 120x80x228 cm/ 80 pcs. on pallet 120x100x228 cm</i>  <i>125 pcs. on pallet 120x137x228 cm</i>  <i>Animals/feeder: 10 chickens</i></p>	
	<b>2111</b>	<p><b>“ARCUS GYRO”</b>  <b>Plastic poultry feeder with threaded bar for adjustment, lid and anti-waste profile and fins – capacity 9 litres</b></p> <p><i>Packing in carton: 5 pcs. – Vol. 0,070 m<sup>3</sup></i>  <i>Pallets and containers as in art. 2110</i>  <i>Animals/feeder: 4-5 chickens</i></p>	

## Hobby Line

### FEEDERS for poultry

Art.	Art. No.	Description	
	2111P	<p><b>“ARCUS GYRO”</b>  <b>Plastic poultry feeder with threaded bar for adjustment, lid, anti-waste profile and fins, and legs – capacity 9 litres</b>  <i>Packing in carton: 5 pcs. – Vol. 0,135 m<sup>3</sup> – Kg. 8,75</i>  <i>Pallets as in art. 2110</i>  <i>Animals/feeder: 4-5 chickens</i></p>	
	2121	<p><b>“ARCUS GYRO”</b>  <b>Plastic poultry feeder with threaded bar for adjustment, lid and anti-waste profile and fins – capacity 20 litres</b>  <i>Packing in carton: 5 pcs. – Vol. 0,070 m<sup>3</sup> – Kg. 6,16</i>  <i>Pallets and containers as in art. 2120</i>  <i>Animals/feeder: 10 chickens</i></p>	
	2121P	<p><b>“ARCUS GYRO”</b>  <b>Plastic poultry feeder with threaded bar for adjustment, lid, anti-waste profile and fins, and legs – capacity 20 litres</b>  <i>Packing in carton: 5 pcs. – Vol. 0,135 m<sup>3</sup> – Kg. 9,07</i>  <i>Pallets as in art. 2120</i>  <i>Animals/feeder: 10 chickens</i></p>	
	2122	<p style="text-align: center;"><b>NEW</b></p> <p><b>“ARCUS MAGNA”</b>  <b>Plastic feeder with metal vertical rod, plastic horizontal rod, lid, anti-waste profile and fins, big tray – capacity 20 litres</b>  <i>Packing in carton: 5 pcs.</i></p>	
	2005	<p><b>“COMPACTA”</b>  <b>Plastic poultry feeder, 3 adjustment positions, lid and anti-waste grill, no-rod – capacity 12 litres</b>  <i>Packing in carton: 10 pcs. – Vol. 0,208 m<sup>3</sup> – Kg. 11,53</i>  <i>In container: 20': 2.100 pcs. / 40': 4.400 pcs. / 40' HC 5.000 pcs. stacked</i>  <i>Animals/feeder: 5-6 chickens</i></p>	
	2005P	<p><b>“COMPACTA”</b>  <b>Plastic poultry feeder, 3 adjustment positions, lid and anti-waste grill, no-rod – capacity 22 litres</b>  <i>Packing in carton: 10 pcs. – Vol. 0,295 m<sup>3</sup> – Kg. 16,23</i>  <i>80 pcs. on pallet 128x100x206 cm</i>  <i>In container: 20': 1.500 pcs. / 40': 3.200 pcs. / 40' HC 3.700 pcs. stacked</i>  <i>Animals/feeder: 11 chickens</i></p>	

## Hobby Line

### FEEDERS for poultry

Art.	Art. No.	Description
	<b>2010</b>	<p><b>“COMPACTA”</b>  <b>Plastic poultry feeder, 3 adjustment positions, lid and anti-waste grill, no-rod – capacity 22 litres</b></p> <p><i>Packing in carton: 10 pcs. – Vol. 0,295 m<sup>3</sup> – Kg. 16,23  80 pcs. on pallet 128x100x206 cm  In container: 20': 1.500 pcs. / 40': 3.200 pcs. / 40' HC 3.700 pcs.  stacked  Animals/feeder: 11 chickens</i></p>
	<b>2010P</b>	<p><b>“COMPACTA”</b>  <b>Plastic poultry feeder, 3 adjustment positions, lid, anti-waste grill and legs, no-rod – capacity 22 litres</b></p> <p><i>Packing in carton: 10 pcs. – Vol. 0,295 m<sup>3</sup> – Kg. 16,83  80 pcs. on pallet 128x100x206 cm  Animals/feeder: 11 chickens</i></p>
	<b>1801</b>	<p><b>4-piece kit of push-in legs in neutral bag</b></p> <p><i>Packing in bag: 4 pcs. – Kg. 0,06</i></p>
	<b>1801-90</b>	<p><b>4-piece kit of push-in legs in hangable bag</b></p> <p><i>Confez. in sacchetto: 4 pcs. – Kg. 0,06</i></p>
	<b>125</b>	<p><b>Galvanised poultry feeder with lid – capacity 8 litres</b></p> <p><i>Packing in carton: 10 pcs. – Vol. 0,078 m<sup>3</sup> – Kg. 16  240 pcs. on pallet 122x81x212 cm  300 pcs. on pallet 122x102x212 cm</i></p>
	<b>126</b>	<p><b>Galvanised poultry feeder with lid – capacity 22 litres</b></p> <p><i>Packing in carton: 5 pcs. – Vol. 0,092 m<sup>3</sup> – Kg. 13  100 pcs. on pallet 130x83x214 cm  125 pcs. on pallet 123x102x219 cm</i></p>

## Hobby Line

### FEEDERS for poultry

Art.	Art. No.	Description
	<b>127</b>	<b>Galvanised poultry feeder with lid – capacity 37 litres</b> <i>Packing on pallet: 50 pcs. – Vol.. 1,92 m<sup>3</sup> – Kg. 202</i>
	<b>127/AA</b>	<b>Galvanised feeder type 18-40 for turkeys – hollow vertical rod. Cylinder capacity: 22 litres</b> <i>Packing on pallet</i>
	<b>127/AB</b>	<b>Galvanised feeder type 18-40 for turkeys – solid vertical rod. Cylinder capacity: 22 litres</b> <i>Packing on pallet</i>
	<b>126/B</b>	<b>Plastic lid for feeders art. 126, 126/A, 126/A/R, 2120, 2121, 127/AA and 127/AB</b>
	<b>126/F</b>	<b>Plastic lid for feeders art. 126, 127/AA and 127/AB, with diam. 65 mm hole for feed drop tube</b>
	<b>127/C</b>	<b>Galvanised anti-waste ring for art. 127/AA and 127/AB</b>

## Hobby Line

### FEEDERS for poultry - rain shields

Art.	Art. No.	Description	
	306/1	Galvanised rain shield for feeder art. 125	
		Galvanised rain shield for feeder art. 125/A, 125/A/R, 2110 and 2111	
	307/1	Galvanised rain shield for feeder art. 126	
		Galvanised rain shield for feeder art. 126/A, 126/A/R, 2120 and 2121	
	308/1	Galvanised rain shield for feeder art. 127	

## Hobby Line

### FEEDERS for poultry - rain shields

Art.	Art. No.	Description	
	<b>309/1</b>	<b>Galvanised rain shield for feeder art. 2005</b>	
	<b>310/1</b>	<b>Galvanised rain shield for feeder art. 2010</b>	

## Hobby Line

### FEED TROUGHS for poultry

Art.	Art. No.	Description	
	<b>120</b>	<p><b>Galvanised feed trough with grid for chicks, L=30 cm</b></p> <p><i>Packing in carton: 24 pcs. – Vol. 0,025 m<sup>3</sup> – Kg. 6,0</i>  <i>1296 pcs. on pallet 120x80x230 cm</i>  <i>1944 pcs. on pallet 120x101x230 cm</i>  <i>Animals/feeder: 16 chicks</i></p>	
	<b>121</b>	<p><b>Galvanised feed trough with grid for chicks, L=50 cm</b></p> <p><i>Packing in carton: 24 pcs. – Vol... 0,044 m<sup>3</sup> – Kg. 8,0</i>  <i>1056 pcs. on pallet 120x80x250 cm</i>  <i>1344 pcs. on pallet 120x100x250 cm</i>  <i>Animals/feeder: 22 chickens</i></p>	
	<b>122</b>	<p><b>Galvanised feed trough with grid for chickens, L=50 cm</b></p> <p><i>Packing in carton: 12 pcs. – Vol. 0,096 m<sup>3</sup> – Kg. 9,0</i>  <i>240 pcs. on pallet 120x81x219 cm</i>  <i>324 pcs. on pallet 122x100x230 cm</i>  <i>Animals/feeder: 8 chickens</i></p>	
	<b>122/A</b>	<p><b>Galvanised feed trough with grid for chickens, L=75 cm</b></p> <p><i>Packing in carton: 12 pcs. – Vol. 0,137 m<sup>3</sup> – Kg. 11,0</i>  <i>180 pcs. on pallet 122x80x222 cm</i>  <i>276 pcs. on pallet 122x118x245 cm</i>  <i>Animals/feeder: 12 chickens</i></p>	
	<b>123</b>	<p><b>Galvanised feed trough with grid for chickens, L=100 cm</b></p> <p><i>Packing in carton: 12 pcs. – Vol. 0,178 m<sup>3</sup> – Kg. 13,0</i>  <i>120 pcs. on pallet 120x81x222 cm</i>  <i>180 pcs. on pallet 122x102x222 cm</i>  <i>Animals/feeder: 16 chickens</i></p>	
	<b>120ARS</b>	<p><b>Plastic feed trough with grid for chicks, L=50 cm</b></p> <p><i>Packing in carton: 12 pcs. – Vol. 0,036 m<sup>3</sup> – Kg. 2,72</i>  <i>756 pcs. on pallet 122x81x251 cm</i>  <i>864 pcs. on pallet 120x100x251 cm</i></p>	
	<b>121/A/R</b>	<p><b>Plastic feed trough with grid for chickens, L=50 cm</b></p> <p><i>Packing in carton: 6 pcs. – Vol. 0,058 m<sup>3</sup> – Kg. 2,88</i>  <i>222 pcs. on pallet 120x80x254 cm</i>  <i>324 pcs. on pallet 120x108x254 cm</i>  <i>Animals/feeder: 8 chickens</i></p>	
	<b>123/A/R</b>	<p><b>Plastic feed trough with grid for chickens, L=100 cm</b></p> <p><i>Packing in carton: 7 pcs. – Vol. 0,096 m<sup>3</sup> – Kg. 5,8</i>  <i>140 pcs. on pallet 123x80x219 cm</i>  <i>175 pcs. on pallet 123x102x219 cm</i></p>	

## Hobby Line

### FEED TROUGHS for poultry

Art.	Art. No.	Description	
	<b>121/A</b>	<b>Plastic feed trough with metal grid for chickens, L=50 cm</b> <i>Packing in carton: 6 pcs. – Vol. 0,050 m<sup>3</sup> – Kg. 3,75 222 pcs. on pallet 120x80x254 cm 324 pcs. on pallet 120x108x254 cm</i>	
	<b>122/AA</b>	<b>Plastic feed trough with metal grid for chickens, L=75 cm</b> <i>Packing in carton: 6 pcs. – Vol. 0,073 m<sup>3</sup> – Kg. 5,0 150 pcs. on pallet 120x80x237 cm 180 pcs. on pallet 120x101x237 cm</i>	
	<b>124</b>	<b>Galvanised feed trough with 16 holes for chicks, L=30 cm</b> <i>Packing in carton: 24 pcs. Animals/feeder: 16 chicks</i>	
	<b>124/A</b>	<b>Galvanised feed trough with 24 holes for chicks, L=50 cm</b> <i>Packing in carton: 24 pcs.</i>	
	<b>129</b>	<b>Galvanised hanging feed trough L=700 mm</b> <i>Packing in carton: 24 pcs. – Vol. 0,153 m<sup>3</sup> – Kg. 11,70 192 pcs. on pallet 120x80x214 cm 360 pcs. on pallet 123x100x224 cm</i>	
	<b>129/A</b>	<b>Galvanised hanging feed trough L=800 mm</b> <i>Packing in carton: 24 pcs.</i>	
	<b>129/B</b>	<b>Galvanised hanging feed trough L=900 mm</b> <i>Packing in carton: 24 pcs. – Vol. 0,195 m<sup>3</sup> – Kg. 14,50 192 pcs. on pallet 120x80x214 cm 288 pcs. on pallet 126x100x214 cm</i>	
	<b>129/C</b>	<b>Galvanised hanging feed trough L=1000 mm</b> <i>Packing in carton: 24 pcs. – Vol. 0,214 m<sup>3</sup> – Kg. 15,50 192 pcs. on pallet 120x84x214 cm 288 pcs. on pallet 126x102x214 cm</i>	

## Hobby Line

### TREADLE FEEDERS for poultry

Art.	Art. No.	Description	
	<b>7200</b>	<p><b>“ALMA”</b>  <b>Galvanised treadle feeder – capacity 17 litres</b></p> <p><i>Packing in carton: 1 pcs. – Vol 0,046 m<sup>3</sup> – Kg. 7,83</i>  <i>32 pcs. on pallet 120x80x225 cm</i>  <i>48 pcs. on pallet 120x100x225 cm</i></p>	
	<b>7210</b>	<p><b>“ALMA”</b>  <b>Galvanised treadle feeder – capacity 28 litres</b></p> <p><i>Packing in carton: 1 pcs. – Vol 0,062 m<sup>3</sup> – Kg. 9,34</i>  <i>24 pcs. on pallet 120x80x225 cm</i>  <i>32 pcs. on pallet 120x100x225</i></p>	

### 500 KG FEEDER for poultry

	<b>7500</b>	<p><b>“GRANDIA”</b>  <b>Galvanised feeder for exterior – capacity 500 Kg</b></p> <p><i>Packing in crate: 15 pcs. – Vol 5,882 m<sup>3</sup> – Kg. 1825</i></p>	
---	-------------	---	--

## Hobby Line

### FEEDERS for rabbits

Art.	Art. No.	Description
	<b>131</b>	<p><b>Galvanised feeder - 1 compartment</b>  <i>Packing in carton: 24 pcs. – Vol. 0,075 m<sup>3</sup> – Kg. 8,60</i>  <i>528 pcs. on pallet 120x80x236 cm</i>  <i>720 pcs. on pallet 120x101x253 cm</i></p>
	<b>131/B</b>	<p><b>Galvanised feeder - 1 compartment, with lid</b>  <i>Packing in carton: 24 pcs. – Vol. 0,075 m<sup>3</sup> – Kg. 9,80</i>  <i>Pallet as in art. 131</i></p>
	<b>131/A</b>	<p><b>Galvanised feeder - 2 compartments</b>  <i>Packing in carton: 12 pcs. – Vol. 0,064 m<sup>3</sup> – Kg. 6,50</i>  <i>300 pcs. on pallet 120x80x249 cm</i>  <i>372 pcs. on pallet 120x108x241 cm</i></p>
	<b>131/C</b>	<p><b>Galvanised feeder - 2 compartments, with lid</b>  <i>Packing in carton: 12 pcs. – Vol. 0,064 m<sup>3</sup> – Kg. 7,40</i>  <i>Pallet as in art. 131/A</i></p>
	<b>132</b>	<p><b>Galvanised feeder - 1 compartment</b>  Dimensions:  width: 145 mm - height: 232 mm - depth: 133 mm  <i>Packing in carton: 24 pcs. – Vol. 0,123 m<sup>3</sup> – Kg. 11,40</i>  <i>480 pcs. on pallet 122x86x249 cm</i>  <i>480 pcs. on pallet 122x100x229 cm</i></p>
	<b>132/A</b>	<p><b>Galvanised feeder - 1 compartment, with lid</b>  Dimensions:  width: 145 mm - height: 232 mm - depth: 133 mm  <i>Packing in carton: 24 pcs. – Vol. 0,123 m<sup>3</sup> – Kg. 12,05</i>  <i>Pallet as in art. 132</i></p>
	<b>133</b>	<p><b>Galvanised feeder - 2 compartments "Small"</b>  Dimensions:  width: 190 mm - height: 232 mm - depth: 133 mm  <i>Packing in carton: 24 pcs. – Vol. 0,164 m<sup>3</sup> – Kg. 15,00</i>  <i>240 pcs. on pallet 120x80x229 cm</i>  <i>360 pcs. on pallet 124x100x229 cm</i></p>
	<b>133/A</b>	<p><b>Galvanised feeder - 2 compartments "Small", with lid</b>  Dimensions:  width: 190 mm - height: 232 mm - depth: 133 mm  <i>Packing in carton: 24 pcs. – Vol. 0,164 m<sup>3</sup> – Kg. 16,80</i>  <i>Pallet as in art. 133</i></p>

## Hobby Line

### FEEDERS for rabbits

Art.	Art. No.	Description	
	<b>134</b>	<p><b>Galvanised feeder - 2 compartments "Large"</b></p> <p>Dimensions: width: 235 mm - height: 232 mm - depth: 133 mm</p> <p><i>Packing in carton: 12 pcs. – Vol. 0,108 m<sup>3</sup> – Kg. 8,30</i></p> <p><i>192 pcs. on pallet 120x80x214 cm</i></p> <p><i>288 pcs. on pallet 120x100x242 cm</i></p>	
	<b>134/A</b>	<p><b>Galvanised feeder - 2 compartments "Large", with lid</b></p> <p>Dimensions: width: 235 mm - height: 232 mm - depth: 133 mm</p> <p><i>Packing in carton: 12 pcs. – Vol. 0,108 m<sup>3</sup> – Kg. 9,70</i></p> <p><i>Pallet as in art. 134</i></p>	
	<b>135</b>	<p><b>Galvanised feeder - 3 compartments</b></p> <p>Dimensions: width: 292 mm - height: 232 mm - depth: 133 mm</p> <p><i>Packing in carton: 12 pcs. – Vol. 0,123 m<sup>3</sup> – Kg. 10,10</i></p> <p><i>240 pcs. on pallet 122x86x249 cm</i></p> <p><i>240 pcs. on pallet 122x100x229 cm</i></p>	
	<b>135/A</b>	<p><b>Galvanised feeder - 3 compartments, with lid</b></p> <p>Dimensions: width: 292 mm - height: 232 mm - depth: 133 mm</p> <p><i>Packing in carton: 12 pcs. – Vol. 0,123 m<sup>3</sup> – Kg. 11,05</i></p> <p><i>Pallet as in art. 135</i></p>	
	<b>136/A</b>	<p><b>Galvanised feeder - 4 compartments, with lid</b></p> <p>Dimensions: width: 390 mm - height: 232 mm - depth: 133 mm</p> <p><i>Packing in carton: 12 pcs. – Vol. 0,164 m<sup>3</sup> – Kg. 14,09</i></p> <p><i>Pallet as in art. 136</i></p>	

## Hobby Line

### FEEDERS - various

Art.	Art. No.	Description	
	<b>296</b>	<p><b>Plastic chick tray feeder D. 24 cm</b></p> <p><i>Packing in carton: 60 pcs. – Vol.. 0,031 – Kg 5,92</i>  <i>2880 pcs. on pallet 120x80x225 cm</i>  <i>3840 pcs. on pallet 120x100x225 cm</i></p>	
	<b>297</b>	<p><b>Polystyrene chick tray feeder D.40 cm</b></p> <p><i>Packing in carton: 40 pcs. – Vol. 0,045 m<sup>3</sup> – Kg. 10,8</i>  <i>640 pcs. on pallet 120x80x124 cm</i>  <i>960 pcs. on pallet 120x108x124 cm</i></p>	
	<b>297-06</b>	<p><b>Plastic chick tray feeder D.40 cm</b></p> <p><b>NEW</b></p> <p><i>Packing in carton: 40 pcs. – Vol. 0,045 m<sup>3</sup></i>  <i>640 pcs. on pallet 120x80x124 cm</i>  <i>960 pcs. on pallet 120x108x124 cm</i></p>	

### FEEDERS for pigeons


	<b>140/D</b>	<p><b>Feeder</b></p> <p><i>Packing in carton: 10 pcs. – Vol. 0,10 m<sup>3</sup> – Kg. 4,2</i>  <i>180 pcs. on pallet 120x80x235 cm</i>  <i>250 pcs. on pallet 120x100x235 cm</i></p>	
---	--------------	--	--

## “ALMA” TREADLE FEEDERS

### Art. 7200 - 7210

The design of the innovative treadle feeder in 1 mm thick galvanised sheet prevents any feed waste. Stepping on the treadle, the bird opens the tilt door that gives access to the feed. Two birds can eat at the same time. A rubber bumper prevents the tilt door from hitting the feeder back wall. The feeder is pre-assembled, except for the treadle plate and feet, which are mounted easily.

The main features are:



They are available in two capacities:



**Art. 7200**  
“Alma” 17 litres  
(approx. 12 Kg of pellet feed)



**Art. 7210**  
“Alma” 28 litres  
(approx. 20 Kg of pellet feed)

## “COMPACTA” FEEDERS

### Art. 2005 - 2010 - 2005P - 2010P



#### Characteristics:

The Compacta feeder is available in two capacities: 12 and 22 litres (about 8,5 and 15,5 Kg of pellet feed).

The feeder is made in first quality durable plastic, the main yellow body is one piece and self-supporting, so there are no central or cross bars. It is very easy to assemble and the feed in the tray can be adjusted using one of the three holes available. The feeder comes complete with a lid and it can either stand or be hung. The anti-waste grill and the hanging loop are integrated parts of the feeder body. The design allows for safe and effective stacking.

The feeder can be purchased with or without the legs that lift it off the ground by 65 mm (about 2,56"); this keeps the feed free from floor contamination and allows the animals to eat more comfortably. The legs can be inserted or removed according to necessity.



**Art. 2005**  
“Compacta” 12 litres



**Art. 2005P**  
“Compacta” 12 litres with legs



**Art. 1801**  
Kit of 4 push-in legs



**Art. 2010**  
“Compacta” 22 litres



**Art. 2010P**  
“Compacta” 22 litres with legs

## FEEDERS “ARCUS”

**Art. 2110 - 2120 - 2110P - 2120P**



### Characteristics:

ARCUS is the ideal for those who use the hopper feeders as a tool to feed their animals, as it allows to do it without waste and with the typical simplicity of all products. The metal rod allows several regulation levels of the feed in the tray. The regulation is allowed by a split pin that fixes the plastic cylinder at three different heights.

The anti-waste fins (whose design is registered) have been expressly designed to allow the animals to eat in a correct way, while preventing them from using their beak to spill the feed from the tray. Feed saving will be the immediate result, as well as a cleaner litter. Unwanted animals will not find feed on the ground anymore.

- Tray, cylinder and lid in long-lasting, high quality plastic
- They allow to adjust the feed quantity in the tray
- Designed expressly to optimise the volumes when cylinders and trays are piled (storage and shipment)
- They can be lifted from the ground thanks to the special 65mm high legs. When used with the chicks, the feeder is placed directly on the ground, while the legs become extremely useful for older animals as they allow to keep the feed clean and ensure animals eat more properly and easily
- The hole at the top of the rod allows to hang the feeder



**Art. 2110**

“Arcus” 9 litres



**Art. 2120**

“Arcus” 20 litres



**Art. 2110P**

“Arcus” 9 litres with legs



**Art. 2120P**

“Arcus” 20 litres with legs



**Art. 1801**

Kit of 4 push-in legs

## FEEDERS “ARCUS GYRO”

**Art. 2111 - 2121 - 2111P - 2121P**



### Characteristics:

Versatile and reliable, as required by people using hopper feeders, ARCUS GYRO is the perfect tool to feed your animals simply and without waste. The particular adjustment system integrated to the nylon bars allows to have as much feed as you want in the tray. The adjustment is made by rotating the cylinder, and the innovative system by steps saves from accidental turning of the cylinder, preventing the animals from changing the set adjustment. The anti-waste fins (whose design is registered) have been expressly designed to allow the animals to eat in a correct way, while preventing them from using their beak to spill the feed from the tray. Feed saving will be the immediate result, as well as a cleaner litter. Unwanted animals will not find feed on the ground anymore.

- Tray, cylinder and lid in long-lasting, high quality plastic
- They allow to adjust the feed quantity in the tray
- Designed expressly to optimise the volumes when cylinders and trays are piled (storage and shipment)
- They can be lifted from the ground thanks to the special 65mm high legs. When used with the chicks, the feeder is placed directly on the ground, while the legs become extremely useful for older animals as they allow to keep the feed clean and ensure animals eat more properly and easily
- The hole at the top of the rod allows to hang the feeder



**Art. 2111**

“Arcus Gyro” 9 litres



**Art. 2111P**

“Arcus Gyro” 9 litres with legs



**Art. 2121**

“Arcus Gyro” 20 litres



**Art. 1801**

Kit of 4 push-in legs



**Art. 2121P**

“Arcus Gyro” 20 litres with legs

## FEEDERS WITH LEGS

**Art. 2110P - 2120P - 2111P - 2121P - 125/AP - 126/AP - 125/AR/P  
126/AR/P - 2005P - 2010P**

The push-in legs lift the plastic feeders by 65 mm (approx. 2,56") off the ground, keeping the feed free from floor contamination, and allowing your animals to eat more comfortably. They can be inserted or removed according to necessity.

They come in a 4-piece kit, all contained within a plastic bag.



The feeders with legs are the following:



**Art. 2110P**  
9 litre "Arcus" feeder  
with metal central  
rod and legs



**Art. 2111P**  
9 litre "Arcus Gyro"  
adjustable feeder  
with nylon central  
rod and legs



**Art. 125/A/P**  
9 litre feeder with  
metal central rod  
and legs



**Art. 125/AR/P**  
9 litre adjustable  
feeder with nylon  
central rod and legs



**Art. 2005P**  
12 litre "Compacta"  
feeder with legs



**Art. 2120P**  
20 litre "Arcus"  
feeder with metal  
central rod and legs



**Art. 2121P**  
20 litre "Arcus Gyro"  
adjustable feeder  
with nylon central  
rod and legs



**Art. 126/A/P**  
20 litre feeder with  
metal central rod  
and legs



**Art. 126/AR/P**  
20 litre adjustable  
feeder with nylon  
central rod and legs



**Art. 2010P**  
22 litre "Compacta"  
feeder with legs

**500 KG GALVANISED FEEDER “GRANDIA”**  
**Art. 7500**



Side view



Side view with open partitions



Views with upper cover open



Possibility of lifting by forklift thanks to the special legs



# 500 KG GALVANISED FEEDER “GRANDIA”

## The details

### The opening process of the partitions



When the partitions are closed, the chain is hanging on the hook at the base of the partition itself and to the protection roof



Pull the chain to lift the partition




Hang the chain to the hook on the feeder wall to keep the partition open



Upper view of the open feeder



Detail of the open feeder with the central support



Detail of feed distribution

## **TURKEY FEEDERS**

### **Art. 127/AA - 127/AB**

In order to improve our range of products, we created for turkeys a feeder art. 127/AA as well as some accessories that will offer various applications.



#### **Art. 127/AA**

It combines the tray of the 40 Kg feeder and the cylinder of the 18 Kg one, allowing increased feeding space. The vertical rod is hollow.



#### **Art. 127/AB**

It's exactly as art. 127/AA, but with solid vertical rod that prevents the formation of bacteria due to the possible accumulation of feed inside the hollow bar. It reduces the necessary cleaning time and operations.

The rod is supplied with pre-drilled holes to regulate the cylinder at various heights.

Both art. 127/AA and art. 127/AB can be provided with the following accessories. You can choose from:



**Art. 126/B**  
Standard plastic cover



**Art. 126/F**  
Perforated plastic cover, allows  
filling the feeder by flexible  
auger



**Art. 127/C**  
Galvanised anti-waste ring with  
external reinforcing and anti-cut  
rim. Manufactured for easy  
assembly on the feeder tray due to  
the adjustable design.



# Global Poultry

## EQUIPMENTS

### INCUBATORS



## Hobby Line

### INCUBATORS

Art.	Art. No.	Description	
	<b>512</b>	<p><b>“ET 12”</b>  <b>Digital semi-automatic incubator, capacity 12 eggs (48 quail eggs), with temperature setting</b></p> <p><i>Packing in carton: 1 pcs. – Vol.. 0,030 – Kg 3,00  54 pcs. on pallet 120x80x235 cm  81 pcs. on pallet 120x110x235 cm</i></p>	
	<b>512/A</b>	<p><b>“ET 12”</b>  <b>Digital incubator, capacity 12 eggs (48 quail eggs), with temperature setting + “Ovomatic” egg turning unit</b></p> <p><i>Packing in carton: 1 pcs. – Vol.. 0,030 – Kg 3,50  54 pcs. on pallet 120x80x235 cm  81 pcs. on pallet 120x110x235 cm</i></p>	
	<b>512/BM</b>	<p><b>“ET 12”</b>  <b>Digital semi-automatic incubator with Biomaster™, capacity 12 eggs (48 quail eggs), with temperature setting</b></p> <p><i>Packing in carton: 1 pcs. – Vol.. 0,030 – Kg 3,00  54 pcs. on pallet 120x80x235 cm  81 pcs. on pallet 120x110x235 cm</i></p>	
	<b>512/A/BM</b>	<p><b>“ET 12”</b>  <b>Digital incubator with Biomaster™, capacity 12 eggs (48 quail eggs), with temperature setting + “Ovomatic” egg turning unit</b></p> <p><i>Packing in carton: 1 pcs. – Vol.. 0,030 – Kg 3,50  54 pcs. on pallet 120x80x235 cm  81 pcs. on pallet 120x110x235 cm</i></p>	
	<b>524</b>	<p><b>“ET 24”</b>  <b>Digital semi-automatic incubator, capacity 24 eggs (96 quail eggs), with temperature setting</b></p> <p><i>Packing in carton: 1 pcs. – Vol.. 0,044 – Kg 4,30  36 pcs. on pallet 120x80x234 cm  54 pcs. on pallet 120x103x234 cm  In container: 20': 584 pcs./ 40': 1.184 pcs.</i></p>	
	<b>524/A</b>	<p><b>“ET 24”</b>  <b>Digital incubator, capacity 24 eggs (96 quail eggs), with temperature setting + “Ovomatic” egg turning unit</b></p> <p><i>Packing in carton: 1 pcs. – Vol.. 0,05 – Kg 4,70  36 pcs. on pallet 120x80x234 cm  54 pcs. on pallet 120x103x234 cm  In container: 20': 584 pcs./ 40': 1.184 pcs.</i></p>	

## Hobby Line

### INCUBATORS

Art.	Art. No.	Description	
	<b>524/BM</b>	<p><b>“ET 24”</b>  <b>Digital semi-automatic incubator with Biomaster™, capacity 24 eggs (96 quail eggs), with temperature setting</b></p> <p><i>Packing in carton: 1 pcs. – Vol.. 0,044 – Kg 4,30  36 pcs. on pallet 120x80x234 cm  54 pcs. on pallet 120x103x234 cm  In container: 20': 584 pcs./ 40': 1.184 pcs.</i></p>	
	<b>524/A/BM</b>	<p><b>“ET 24”</b>  <b>Digital incubator with Biomaster™, capacity 24 eggs (96 quail eggs), with temperature setting + “Ovomatic” egg turning unit</b></p> <p><i>Packing in carton: 1 pcs. – Vol.. 0,05 – Kg 4,70  36 pcs. on pallet 120x80x234 cm  54 pcs. on pallet 120x103x234 cm  In container: 20': 584 pcs./ 40': 1.184 pcs.</i></p>	
	<b>549</b>	<p><b>“ET 49”</b>  <b>Digital semi-automatic incubator, capacity 49 eggs (196 quail eggs), with temperature setting</b></p> <p><i>Packing in carton: 1 pcs. – Vol.. 0,071 – Kg 6,20  28 pcs. on pallet 120x81x249 cm  40 pcs. on pallet 120x114x249 cm  In container: 20': 398 pcs./ 40': 814 pcs./ 40' HC: 896 pcs.</i></p>	
	<b>549/A</b>	<p><b>“ET 49”</b>  <b>Digital incubator, capacity 49 eggs (196 quail eggs), with temperature setting + “Ovomatic” egg turning unit</b></p> <p><i>Packing in carton: 1 pcs. – Vol. 0,078 – Kg 6,50  28 pcs. on pallet 120x81x249 cm  40 pcs. on pallet 120x114x249 cm  In container: 20': 398 pcs./ 40': 814 pcs./ 40' HC: 896 pcs.</i></p>	
	<b>549/BM</b>	<p><b>“ET 49”</b>  <b>Digital semi-automatic incubator with Biomaster™, capacity 49 eggs (196 quail eggs), with temperature setting</b></p> <p><i>Packing in carton: 1 pcs. – Vol.. 0,071 – Kg 6,20  28 pcs. on pallet 120x81x249 cm  40 pcs. on pallet 120x114x249 cm  In container: 20': 398 pcs./ 40': 814 pcs./ 40' HC: 896 pcs.</i></p>	
	<b>549/A/BM</b>	<p><b>“ET 49”</b>  <b>Digital incubator with Biomaster™, capacity 49 eggs (196 quail eggs), with temperature setting + “Ovomatic” egg turning unit</b></p> <p><i>Packing in carton: 1 pcs. – Vol. 0,078 – Kg 6,50  28 pcs. on pallet 120x81x249 cm  40 pcs. on pallet 120x114x249 cm  In container: 20': 398 pcs./ 40': 814 pcs./ 40' HC: 896 pcs.</i></p>	

## Hobby Line

### INCUBATORS

Art.	Art. No.	Description
	<b>512/A/S</b>	<p style="text-align: center;"><b>NEW</b></p> <p><b>“ET 12” SUPER</b>          Digital incubator, capacity 12 eggs (48 quail eggs), with temperature and humidity setting + “Ovomatic” egg turning unit</p> <p><i>Packing in carton: 1 pcs. – Vol.. 0,030 – Kg 3,50          54 pcs. on pallet 120x80x235 cm          81 pcs. on pallet 120x110x235 cm</i></p>
	<b>512/A/S/BM</b>	<p style="text-align: center;"><b>NEW</b></p> <p><b>“ET 12” SUPER</b>          Digital incubator with Biomaster™, capacity 12 eggs (48 quail eggs), with temperature and humidity setting + “Ovomatic” egg turning unit</p> <p><i>Packing in carton: 1 pcs. – Vol.. 0,030 – Kg 3,50          54 pcs. on pallet 120x80x235 cm          81 pcs. on pallet 120x110x235 cm</i></p>
	<b>524/A/S</b>	<p style="text-align: center;"><b>NEW</b></p> <p><b>“ET 24” SUPER</b>          Digital incubator, capacity 24 eggs (96 quail eggs), with temperature and humidity setting + “Ovomatic” egg turning unit</p> <p><i>Packing in carton: 1 pcs. – Vol.. 0,05 – Kg 4,70          36 pcs. on pallet 120x80x234 cm          54 pcs. on pallet 120x103x234 cm          In container: 20': 584 pcs./ 40': 1.184 pcs.</i></p>
	<b>524/A/S/BM</b>	<p style="text-align: center;"><b>NEW</b></p> <p><b>“ET 24” SUPER</b>          Digital incubator with Biomaster™, capacity 24 eggs (96 quail eggs), with temperature and humidity setting + “Ovomatic” egg turning unit</p> <p><i>Packing in carton: 1 pcs. – Vol.. 0,05 – Kg 4,70          36 pcs. on pallet 120x80x234 cm          54 pcs. on pallet 120x103x234 cm          In container: 20': 584 pcs./ 40': 1.184 pcs.</i></p>
	<b>549/A/S</b>	<p style="text-align: center;"><b>NEW</b></p> <p><b>“ET 49” SUPER</b>          Digital incubator, capacity 49 eggs (196 quail eggs), with temperature and humidity setting + “Ovomatic” egg turning unit</p> <p><i>Packing in carton: 1 pcs. – Vol. 0,078 – Kg 6,50          28 pcs. on pallet 120x81x249 cm          40 pcs. on pallet 120x114x249 cm          In container: 20': 398 pcs./ 40': 814 pcs./ 40' HC: 896 pcs.</i></p>
	<b>549/A/S/BM</b>	<p style="text-align: center;"><b>NEW</b></p> <p><b>“ET 49” SUPER</b>          Digital incubator with Biomaster™, capacity 49 eggs (196 quail eggs), with temperature and humidity setting + “Ovomatic” egg turning unit</p> <p><i>Packing in carton: 1 pcs. – Vol. 0,078 – Kg 6,50          28 pcs. on pallet 120x81x249 cm          40 pcs. on pallet 120x114x249 cm          In container: 20': 398 pcs./ 40': 814 pcs./ 40' HC: 896 pcs.</i></p>

## Hobby Line

### INCUBATORS - accessoires

Art.	Art. No.	Description	
	549/A/24S	<p style="text-align: center;"><b>NEW</b></p> <p><b>“ET 49 SOLARIS”</b>            Digital incubator, capacity 49 eggs (196 quail eggs), operating at 24V, to be matched to the SOLARIS control unit</p>	
	570	<p style="text-align: center;"><b>NEW</b></p> <p><b>“SOLARIS”</b>            Control unit to feed the 24V incubator with mains supply, solar power and car batteries</p>	
	556M-1	<p><b>“OVOMATIC”</b>            Egg turning unit for ET 12, ET 24 and ET 49 incubators</p> <p><i>Packing in carton: 1 pcs. – Vol.. 0,0027 – Kg 0,60</i></p>	
	556M-90	<p><b>“OVOMATIC” IN COLOUR PACKAGING</b>            Egg turning unit for ET 12, ET 24 and ET 49 incubators in colour packaging</p> <p><i>Packing in carton: 1 pcs. – Vol.. 0,0027 – Kg 0,60</i></p>	
	557M	<p style="text-align: center;"><b>NEW</b></p> <p><b>“OVOLVO”</b>            Egg turning unit for ET 12, ET 24, ET 49, ET 12 SUPER, ET 24 SUPER and ET 49 SUPER incubators: control of min./max tilting degree, oscillation time and random function</p>	
	560	<p style="text-align: center;"><b>NEW</b></p> <p><b>“NEBULA”</b>            Ultrasonic humidifier for humidity control</p> <p><i>Packing in carton: 1 pcs. – Vol. 0,0027 – Kg 1,20</i></p>	
	164	<p><b>Egg candler</b></p> <p><i>Packing in carton</i></p>	

## “ET 12” DIGITAL INCUBATORS

### Art. 512 - 512/A - 512/BM - 512/A/BM

The 12 egg digital incubators are designed to hatch hen-eggs as well as pheasant, guinea fowl, quail, partridge, grey partridge, rock partridge, turkey, palmipeds (goose, mallard, all breeds of duck, etc.), peacock, pigeon, exotic birds and birds of prey. Its capacity is up to 12 medium/large eggs or 48 small eggs (e.g. quail).

ET 12 are designed to be simple and straightforward to use, at the same time offering innovative technical solutions and high reliability. The **egg turning unit**, when present, tilts the ergonomically designed swinging egg tray making the incubator automatic. Instead, the **Biomaster™** prevents the spread of infections in embryos, which is one of the main death causes during hatching.

**Technical characteristics of incubator:**

Capacity: 12 hen-eggs or similar / 48 quail-eggs

Voltage: single phase, 230 V CE

Average daily consumption: max. 1 kW/24 h

Rated frequency: 50/60 Hz

Maximum power: 80W

**Technical characteristics of egg turning unit:**

Voltage: single phase, 230 V CE

Average daily consumption: max. 3W

Rated frequency: 50/60 Hz

1 tilting every 2 hours



The yellow incubators are treated in all parts with **Biomaster™**, the permanent antibacterial additive with silver ions.



**Digital display.** It is possible to set the temperature from 30°C to 40°C with 0,1°C steps by pressing the (+) and (-) buttons (Programme Mode).



The **inspection windows** allow you to follow all the stages of incubation.



**Openings** to fill the water basins from the outside without opening the incubator, thus preventing the heat and humidity loss.



**Plastic floor** where to lay the eggs three days before hatching (included).



The eggs are housed in the **swinging egg tray** whose tilting is changed with the external egg tilting handle or continuously and automatically by the egg turning unit. The egg cradle specific design allows to accommodate both small eggs (up to 4 quail eggs) and large eggs (like goose eggs).



## “ET 24” DIGITAL INCUBATORS

### Art. 524 - 524/A - 524/BM - 524/A/BM

The 24 egg digital incubators are designed to hatch hen eggs as well pheasant, guinea fowl, quail, partridge, grey partridge, rock partridge, turkey, palmipeds (goose, mallard, all breeds of duck, etc.), peacock, pigeon, exotic birds and birds of prey. Its capacity is up to 24 medium/large eggs or 96 small eggs (e.g. quail).

ET 24 are designed to be simple and straightforward to use, at the same time offering innovative technical solutions and high reliability. The **egg turning unit**, when present, tilts the ergonomically designed swinging egg tray making the incubator automatic. Instead, the **Biomaster™** prevents the spread of infections in embryos, which is one of the main death causes during hatching.

#### Technical characteristics of incubator:

Capacity: 24 hen-eggs or similar / 96 quail-eggs

Voltage: single phase, 230 V CE

Average daily consumption: max. 1,7 kW/24 h

Rated frequency: 50/60 Hz

Maximum power: 130W

#### Technical characteristics of egg turning unit:

Voltage: single phase, 230 V CE

Average daily consumption: max. 3W

Rated frequency: 50/60 Hz

1 tilting every 2 hours



The yellow incubators are treated in all parts with **Biomaster™**, the permanent antibacterial additive with silver ions.



**Digital display.** It is possible to set the temperature from 30°C to 40°C with 0,1°C steps by pressing the (+) and (-) buttons (Programme Mode).



The **inspection windows** allow you to follow all the stages of incubation.



**Openings** to fill the water basins from the outside without opening the incubator, thus preventing the heat and humidity loss.



**Plastic floor** where to lay the eggs three days before hatching (included).



The eggs are housed in the **swinging egg tray** whose tilting is changed with the external egg tilting handle or continuously and automatically by the **egg turning unit**.



The egg cradle specific design allows to accommodate both **small eggs** (up to 4 quail eggs) and **large eggs** (like goose eggs).

## “ET 49” DIGITAL INCUBATORS

### Art. 549 - 549/A - 549/BM - 549/A/BM

The 49 egg digital incubators are designed to hatch hen-eggs as well as pheasant, guinea fowl, quail, partridge, grey partridge, rock partridge, turkey, palmipeds (goose, mallard, all breeds of duck, etc.), peacock, pigeon, exotic birds and birds of prey. Its capacity is up to 49 medium/large eggs or 196 small eggs (e.g. quail).

ET 49 are designed to be simple and straightforward to use, at the same time offering innovative technical solutions and high reliability. The **egg turning unit**, when present, tilts the ergonomically designed swinging egg tray making the incubator automatic. Instead, the **Biomaster™** prevents the spread of infections in embryos, which is one of the main death causes during hatching.

**Technical characteristics of incubator:**

Capacity: 49 hen-eggs or similar / 196 quail-eggs

Voltage: single phase, 230 V CE

Average daily consumption: max. 2,3 kW/24 h

Rated frequency: 50/60 Hz

Maximum power: 170W

**Technical characteristics of egg turning unit:**

Voltage: single phase, 230 V CE

Average daily consumption: max. 3W

Rated frequency: 50/60 Hz

1 tilting every 2 hours



The yellow incubators are treated in all parts with **Biomaster™**, the permanent antibacterial additive with silver ions.



**Digital display.** It is possible to set the temperature from 30°C to 40°C with 0,1°C steps by pressing the (+) and (-) buttons (Programme Mode).



The **inspection windows** allow you to follow all the stages of incubation.



**Openings** to fill the water basins from the outside without opening the incubator, thus preventing the heat and humidity loss.



**Plastic floor** where to lay the eggs three days before hatching (included).



The eggs are housed in the **swinging egg tray** whose tilting is changed with the external egg tilting handle or continuously and automatically by the egg turning unit. The egg cradle specific design allows to accommodate both small eggs (up to 4 quail eggs) and large eggs (like goose eggs).



# ULTRASONIC HUMIDIFIER FOR HUMIDITY CONTROL

## “NEBULA®”

### Art. 560


The patented NEBULA® system can control humidity so that the set value is attained and kept constant, without producing wide, longlasting and unwanted fluctuations in temperature and humidity during the incubation.

In fact, thanks to its continuous variable system, NEBULA® supplies energy to the water by means of an ultrasound generator, producing microscopic droplets (fog effect). The supplied hose conveys the droplets to the incubator. Getting in contact with the heat, the droplets instantly evaporate creating humidity that the fan in the incubator homogenises. Moreover, the functioning of NEBULA® is not affected by the surrounding area conditions.

Characteristics:

Tank capacity: 2L

voltage: 230 Volt 50/60 Hz single phase





# Global Poultry

## EQUIPMENTS

### PLUCKING MACHINES





## Hobby Line

### PLUCKING MACHINES

Art.	Art. No.	Description	
	<b>148/1-2</b>	<p><b>“PIUMINA STANDARD”</b>  <b>Wet plucking machine in stainless steel, with 24 finger aluminium roller, for poultry and similar.</b>  <b>Production 30-40 birds/hour – motor 0,25 KW one-phase</b></p> <p><i>Packing in carton: 1 pcs. – Vol. 0,14 m<sup>3</sup> – Kg. 19,0  20 pcs. on pallet 120x80x231 cm  30 pcs. on pallet 120x100x231 cm</i></p>	
	<b>148/1-2S</b>	<p><b>“PIUMINA SUPER”</b>  <b>Wet plucking machine in stainless steel, with 30 finger aluminium roller, for poultry and similar.</b>  <b>Production 30-40 birds/hour – motor 0,25 KW one-phase</b></p> <p><i>Packing in carton: 1 pcs. – Vol. 0,14 m<sup>3</sup> – Kg. 19,0  20 pcs. on pallet 120x80x231 cm  30 pcs. on pallet 120x100x231 cm</i></p>	
	<b>148/1-2Q</b>	<p><b>“PIUMINA QUAILS”</b>  <b>Wet plucking machine in stainless steel, with 36 finger aluminium roller, for quails and similar.</b>  <b>Production 30-40 birds/hour – motor 0,25 KW one-phase</b></p> <p><i>Packing in carton: 1 pcs. – Vol. 0,14 m<sup>3</sup> – Kg. 19,0  20 pcs. on pallet 120x80x231 cm  30 pcs. on pallet 120x100x231 cm</i></p>	
	<b>148-2</b>	<p><b>“PIUMONA”</b>  <b>Wet plucking machine in stainless steel, with 54 finger aluminium roller, for poultry and similar.</b>  <b>Production 50-80 birds/hour – motor 0,25 KW one-phase</b></p> <p><i>Packing in carton: 1 pcs. – Vol. 0,314 m<sup>3</sup> – Kg. 35</i></p>	
	<b>9900</b>	<p style="text-align: center;"><b>NEW</b></p> <p><b>“CYLINDRA”</b>  <b>Rotary wet plucking machine</b>  <b>Capacity: about 30sec to pluck up to 3-4 free-range chickens of 1,5kg at the same time – motor 0,75 KW single phase</b></p> <p><i>Packing in carton: 1 pcs. – Kg. 58</i></p>	
	<b>9920</b>	<p style="text-align: center;"><b>NEW</b></p> <p><b>“CYLINDRA BASICA”</b>  <b>Rotary wet plucking machine</b>  <b>Capacity: about 30sec to pluck up to 3-4 free-range chickens of 1,5kg at the same time – motor 0,75 KW single phase</b></p> <p><i>Packing in carton: 1 pcs. – Kg. 56</i></p>	


## Hobby Line

### PLUCKING MACHINES - accessories

Art.	Art. No.	Description	
	46148100	<b>STANDARD ROLLER</b> Accessory 24-finger roller in aluminium for "Piumina" plucking machine (for poultry) <i>Packing in carton</i>	
	46148110	<b>"SUPER" ROLLER</b> Accessory 30-finger roller in aluminium for "Piumina" plucking machine (for poultry) <i>Packing in carton</i>	
	46148120	<b>QUAIL ROLLER</b> Accessory 36-finger roller in aluminium for "Piumina" plucking machine (for quails) <i>Packing in carton</i>	

## Hobby Line

### PLUCKING MACHINES - accessories


Art.	Art. No.	Description	
	<b>160</b>	<b>Slaughtering tongs</b> <i>Packing in carton</i>	
	<b>213</b>	<b>Funnel for slaughtering unit</b> <i>Packing in carton</i>	
	<b>213/A</b>	<b>Funnel for slaughtering unit with support</b> <i>Packing in carton</i>	

# “PIUMINA” PLUCKING MACHINES, CAP. 30-40 BIRDS/HOUR

## Art. 148/1-2 - 148/1-2S - 148/1-2Q

The “PIUMINA” plucking machine has been both technically and aesthetically completely revised. Furthermore, it is produced in **three** versions:

1. Art. 148/1-2 (**PIUMINA STANDARD**) with 24 chicken plucking fingers
2. Art. 148/1-2S (**PIUMINA SUPER**) with 30 chicken plucking fingers
3. Art. 148/1-2Q (**PIUMINA QUAILS**) with 36 quail plucking fingers



### Specifications:


- Capacity: 30/40 birds/h
- Dimensions plucking machine: 510x410x760 mm - Weight: Kg 19 – Packing dimensions: 600x300x440 mm
- Body in stainless steel with removable protecting film in PVC
- Electric motor: 220/230V single phase, 50Hz - Input: kW 0,25
- Pressure die-cast aluminium roller featuring 24/30/36 replaceable rubber fingers

## “PIUMONA” PLUCKING MACHINE, CAP. 50-80 BIRDS/HOUR

### Art. 148-2

The “PIUMONA” plucking machine has been both technically and aesthetically revised. Now the machine is:

- STEADIER thanks to the reinforced body;
- SAFER thanks to the emergency OFF button incorporated in the normal ON/OFF switch;
- MORE PROTECTED: the stainless steel parts are covered by a removable film.



#### Specifications:

- Capacity: 50/80 birds/hour
- Dimensions plucking machine: 600x500x1110 mm
- Dimensions carton: 640x570x1080 mm
- Weight: Kg 33,5
- Body and protection hood in stainless steel with removable protecting film in PVC
- Electric motor: 220/230V single-phase, 50Hz
- Input: kW 0,25
- Pressure die-cast aluminium roller featuring 54 replaceable rubber fingers.



# Global Poultry

## EQUIPMENTS

**GRINDING MILLS**



Four small, grey, cylindrical components are positioned horizontally below the main unit.



## GRINDING MILL “MISTRAL 50L”

### Art. 650P

Art. 650P MISTRAL 50L	
Mistral 50 dimensions	44x44x101 cm
Packing dimensions	45x45x67 cm
Gross weight Net weight	9,60 Kg / 21,16 Lb 7,70 Kg / 16,98 Lb
Power	1,6 HP 1,2 kW
Hourly output	40/200 Kg/h



Shaped steel metal knife for an optimal and uniform grinding.

#### GRINDING MILL “MISTRAL 50L” (50 litre plastic bin)

**Handy** and with reduced dimensions, it grinds any kind of grains: corn, barley, oats, rye, wheat, millet, pepper, etc. Cool milling without dust.

#### Output per hour

It may vary according to the product to grind, to its dampness and to the sieve used.

- with supplied sieves (Ø 2 – 4 – 6 – 8 mm, in pressed galvanized sheet): approx. 100-200 Kg/h
- with optional sieves (Ø 0,6 – 0,8 – 1,5 mm): approx. 40-70 Kg/h. Ø 0,6 mm sieve is in stainless steel – Ø 0,8 and 1,5 mm sieves are in pressed galvanized sheet.

**Hopper capacity:** Kg 10. The machine can be started only with full hopper.

**Grinding knife:** made of high resistance steel.

**Special type collector motor**, single-phase only, voltage 220V, 50 Hz, 12.000 rpm. Ground terminal wiring according to C.E.I. regulations.

Packing in carton: 1 pcs. – Vol. 0,135 m<sup>3</sup> – Kg. 9,12

16 Pcs. on pallet 120x90x242 cm

20 Pcs. on pallet 134x90x242 cm



## Hobby Line

### GRINDING MILL - accessories

Art.	Art. No.	Description	
	<b>650P0,6</b>	<b>Stainless steel sieve, holes diam. 0,6 mm</b>	
	<b>650P0,8</b>	<b>Galvanised sieve, holes diam. 0,8 mm</b>	
	<b>650P1,5</b>	<b>Galvanised sieve, holes diam. 1,5 mm</b>	

## Hobby Line

### ACCESSORIES

Art.	Art. No.	Description	
	<b>4304-00</b>	<b>Extension L= 5,5 cm</b> <i>Packing in bag: 100 pcs.</i>	
	<b>4305-00</b>	<b>Extension L= 12 cm</b> <i>Packing in bag: 100 pcs.</i>	
	<b>4308-00</b>	<b>Extension L= 9 cm</b> <i>Packing in bag: 100 pcs.</i>	
	<b>4332-00</b>	<b>Elbow extension</b> <i>Packing in bag: 100 pcs.</i>	
	<b>4307-04</b>	<b>Clamp bracket for extension</b> <i>Packing in carton: 100 pcs.</i>	
	<b>4311-00</b>	<b>Hose connector, internal thread 1/2" for hose 1/2"</b>	
	<b>4215-05</b>	<b>Washer 1/2", internal thread</b> <i>Packing in bag: 50 pcs.</i>	
	<b>4313-00</b>	<b>Elbow hose connector with sleeve cap nut 1/2"</b> <i>Packing in bag: 100 pcs.</i>	
	<b>4330-06</b>	<b>Hose connector, external thread 1/2" for hose 3/4"</b> <i>Packing in bag: 100 pcs.</i>	
	<b>4331-06</b>	<b>Hose connector, external thread 1/2" for hose 1/2"</b> <i>Packing in bag: 100 pcs.</i>	

## Hobby Line

### ACCESSORIES

Art.	Art. No.	Description	
	<b>4378-00</b>	<b>Clamp with sleeve cap nut 1/2", for pipe D. 25 – 26,7</b> <i>Packing in carton</i>	
	<b>4379-00</b>	<b>Clamp with sleeve cap nut 1/2", for pipe D. 26,7</b> <i>Packing in carton</i>	
	<b>4372-04</b>	<b>Hose connector thread 1/8" for black hose 6 x 9</b> <i>Packing in bag: 50 pcs.</i>	
	<b>4333-00</b>	<b>Adapter for stainless steel nipple D. 10 mm</b> <i>Packing in bag</i>	
	<b>4335-00</b>	<b>Adapter for combi nipple D. 10 mm</b> <i>Packing in bag</i>	
	<b>9303-05</b>	<b>Elbow connector for D. 10 mm hose</b> <i>Packing in bag: 100 pcs.</i>	
	<b>146</b>	<b>Tee connector 10 mm</b> <i>Packing in bag: 100 pcs.</i>	
	<b>146/A</b>	<b>Elbow connector 10 mm</b> <i>Packing in bag: 100 pcs.</i>	
	<b>146/B</b>	<b>Cross connector 10 mm</b> <i>Packing in bag: 100 pcs.</i>	
	<b>146/C</b>	<b>Straight connector 10 mm</b> <i>Packing in bag: 100 pcs.</i>	
	<b>146/F</b>	<b>End cap 10 mm</b> <i>Packing in bag: 100 pcs.</i>	

## Hobby Line

### ACCESSORIES

Art.	Art. No.	Description	
	<b>4040-00</b>	<b>Automatic drinker Art.4007-00 with 5 cm extension</b> <i>Packing in carton: 500 pcs.</i>	
	<b>4041-00</b>	<b>Automatic drinker Art.4007-00 with 9 cm extension</b> <i>Packing in carton: 500 pcs.</i>	
	<b>4042-00</b>	<b>Automatic drinker Art.4007-00 with 12 cm extension</b> <i>Packing in carton: 500 pcs.</i>	
	<b>4047-00</b>	<b>Automatic drinker Art.4006-00 with 5 cm extension</b> <i>Packing in carton: 800 pcs.</i>	
	<b>4048-00</b>	<b>Automatic drinker Art.4006-00 with 9 cm extension</b> <i>Packing in carton: 500 pcs.</i>	
	<b>4049-00</b>	<b>Automatic drinker Art.4006-00 with 12 cm extension</b> <i>Packing in carton: 500 pcs.</i>	
	<b>4006-00</b>	<b>Combi drinker (small) – for adult birds</b> <i>Packing in carton: 500 pcs.</i>	
	<b>4007-00</b>	<b>Automatic drinker (big) – for chicks</b> <i>Packing in carton: 500 pcs.</i>	
	<b>4060</b>	<b>Starter cup to snap on square pipe – adapter for stainless steel nipple</b> <i>Packing in carton: 200 pcs.</i>	
	<b>4060-1</b>	<b>Starter cup to snap on square pipe – adapter for nipple with plastic body</b> <i>Packing in carton: 200 pcs.</i>	

## Hobby Line

### ACCESSORIES

Art.	Art. No.	Description	
	<b>4017-01</b>	<b>SNAP-CUP for square pipe</b> <i>Packing in carton: 500 pcs.</i>	
	<b>4019-01</b>	<b>SNAP-CUP for square pipe, 90° turned</b> <i>Packing in carton: 500 pcs.</i>	
	<b>4612-01</b>	<b>Drip cup small</b> <i>Packing in carton: 500 pcs.</i>	
	<b>4617-01</b>	<b>Drip cup big</b> <i>Packing in carton: 250 pcs.</i>	
	<b>4011-01</b>	<b>Mini-drinker, red for chicks, connection to 6x9 hose mm (T-piece excluded)</b> <i>Packing in carton: 25 pcs.</i>	
	<b>4336-07</b>	<b>T-piece for connection in series of Mini-drinkers</b> <i>Packing in bag</i>	

## Hobby Line

### ACCESSORIES

Art.	Art. No.	Description	
	<b>4510-09</b>	<p><b>Brooder guard 400x800 mm, for rearing pen</b>  <i>Packing in carton: 72 pcs.</i></p>	
	<b>4511-09</b>	<p><b>Stabiliser for the cut for drinking line</b>  <i>Packing in carton: 25 pcs.</i></p>	
	<b>4512-09</b>	<p><b>Connecting hinge for brooder guard (2 per brooder guard)</b>  <i>Packing in bag</i></p>	
	<b>4513-04</b>	<p><b>Support for brooder guard</b>  <i>Packing in carton</i></p>	

## Hobby Line

### ACCESSORIES

Art.	Art. No.	Description	
	<b>145/D</b>	<b>Stainless steel nipple drinker - vertical</b> <i>Packing in carton: 1500 pcs.</i>	
	<b>4003</b>	<b>Stainless steel push nipple - vertical</b> <i>Packing in carton: 1200 pcs.</i>	
	<b>4022</b>	<b>Stainless steel nipple – multidirectional</b> <i>Packing in carton: 1500 pcs.</i>	
	<b>145/B</b>	<b>Clip drinker in stainless steel, complete with nipple holder and stainless steel nipple – for rabbits</b> <i>Packing in carton: 300 pcs. – Vol 0,027 m³ – Kg. 9,0</i>	
	<b>145/B/ CLIP</b>	<b>Stainless steel clip with nipple holder – for rabbits</b> <i>Packing in carton</i>	
	<b>145/M</b>	<b>Screw bracket drinker (screws excluded) complete with nipple holder, T connection and stainless steel nipple – for rabbits</b> <i>Packing in carton: 300 pcs. – Vol 0,027 m³ – Kg. 13,5</i>	
	<b>145/M/ CLIP</b>	<b>Screw bracket (screws excluded) complete with nipple holder, T connection – for rabbits</b> <i>Packing in carton</i>	

## Hobby Line

### ACCESSORIES

Art.	Art. No.	Description	
	<b>145/EN</b>	<b>Water tank with cover and ball valve – black</b> <i>Packing in carton: 50 pcs.</i>	
	<b>145/E</b>	<b>Water tank with cover and ball valve – white</b> <i>Packing in carton: 50 pcs.</i>	
	<b>4204-04</b>	<b>Ball valve with two nozzles, 1/2" thread</b> <i>Packing in carton: 50 pcs.</i>	
	<b>4205</b>	<b>Mini ball-valve 1/2"</b> <i>Packing in carton: 50 pcs.</i>	
	<b>146/E</b>	<b>10 mm plastic outlet, complete</b> <i>Packing in bag</i>	
	<b>4209-00</b>	<b>Elbow outlet 3/4"</b> <i>Packing in carton: 25 pcs.</i>	
	<b>4249-00</b>	<b>Straight outlet 3/4"</b> <i>Packing in carton: 25 pcs.</i>	
	<b>4357-04</b>	<b>Plug R 1/8"</b> <i>Packing in bag: 50 pcs.</i>	
	<b>4216-04</b>	<b>Plug R 1/2"</b> <i>Packing in bag: 25 pcs.</i>	

## Hobby Line

### ACCESSORIES

Art.	Art. No.	Description	
	<b>4217-00</b>	<b>Plastic nut 3/4"</b> <i>Packing in bag: 25 pcs.</i>	
	<b>4218-00</b>	<b>Plastic nut 1/2"</b> <i>Packing in bag: 25 pcs.</i>	
	<b>4212-05</b>	<b>Gasket 3/4" for external thread</b> <i>Packing in bag</i>	
	<b>4213-05</b>	<b>Gasket 3/4" for internal thread</b> <i>Packing in bag</i>	
	<b>4225-00</b>	<b>Breather unit to glue on square pipe</b> <i>Packing in carton: 100 pcs.</i>	
	<b>4226-00</b>	<b>Breather unit to glue on D.25 round pipe</b> <i>Packing in carton: 100 pcs.</i>	
	<b>4246-00</b>	<b>Breather unit to glue on D.26,7 round pipe</b> <i>Packing in carton: 50 pcs.</i>	
	<b>4245-00</b>	<b>Breather unit with tube connector</b> <i>Packing in carton: 50 pcs.</i>	

## Hobby Line

### ACCESSORIES

Art.	Art. No.	Description	
	<b>4373-04</b>	<b>Transition piece for square pipe 22x22 to round one <math>\frac{3}{4}</math>"</b> <i>Packing in bag: 25 pcs.</i>	
	<b>4374-04</b>	<b>Transition piece for square pipe 22x22 to D.25 round one</b> <i>Packing in bag: 25 pcs.</i>	
	<b>4303-04</b>	<b>Elbow transition piece for square pipe 22x22 to round one <math>\frac{3}{4}</math>"</b> <i>Packing in bag: 25 pcs.</i>	
	<b>4375</b>	<b>Transition piece for square pipe 22x22 to round D. 10,5</b> <i>Packing in bag: 25 pcs.</i>	
	<b>4348-04</b>	<b>Push coupler for square pipe 22x22 (L=14 cm)</b> <i>Packing in carton: 300 pcs.</i>	
	<b>4353-04</b>	<b>Push coupler for square pipe 22x22 (L=6 cm)</b> <i>Packing in carton: 300 pcs.</i>	
	<b>4351-04</b>	<b>Glue coupler for square pipe 22x22</b> <i>Packing in bag: 25 pcs.</i>	
	<b>4352-04</b>	<b>Long glue coupler for square pipe 22x22</b> <i>Packing in bag: 25 pcs.</i>	
	<b>4354-04</b>	<b>Glue/push coupler for square pipe 22x22</b> <i>Packing in bag: 25 pcs.</i>	

## Hobby Line

### ACCESSORIES

Art.	Art. No.	Description	
	<b>4355-04</b>	<b>T-glue coupler for square pipe 22x22</b> <i>Packing in bag: 25 pcs.</i>	
	<b>4358-04</b>	<b>Elbow glue coupler for square pipe 22x22</b> <i>Packing in bag: 25 pcs.</i>	
	<b>4343-04</b>	<b>Elbow glue coupler D.25 mm inside</b> <i>Packing in bag: 25 pcs.</i>	
	<b>4323-04</b>	<b>Elbow glue coupler ¾" inside</b> <i>Packing in bag: 25 pcs.</i>	
	<b>4341-04</b>	<b>Glue cap, D.25 mm inside</b> <i>Packing in bag: 25 pcs.</i>	
	<b>4342-04</b>	<b>Glue cap, D.25 mm inside, with breather</b> <i>Packing in bag: 25 pcs.</i>	
	<b>4322-04</b>	<b>Glue cap ¾" inside with breather</b> <i>Packing in bag: 25 pcs.</i>	
	<b>4344-04</b>	<b>T glue coupler D.25 mm inside</b> <i>Packing in bag: 25 pcs.</i>	
	<b>4324-04</b>	<b>T glue coupler ¾" inside</b> <i>Packing in bag: 25 pcs.</i>	

## Hobby Line

### ACCESSORIES

Art.	Art. No.	Description	
	<b>4345-04</b>	<b>Transition piece D.25 mm inside</b> <i>Packing in bag: 25 pcs.</i>	
	<b>4325-04</b>	<b>Transition piece ¾" inside</b> <i>Packing in bag: 25 pcs.</i>	
	<b>4356-04</b>	<b>Transition piece ¾" thread to D.25 mm inside</b> <i>Packing in bag: 25 pcs.</i>	
	<b>4328-04</b>	<b>Transition piece ¾" to round pipe ¾" inside</b> <i>Packing in bag: 25 pcs.</i>	
	<b>4361-05</b>	<b>Expansion connector for square pipe 22x22</b> <i>Packing in carton: 400 pcs.</i>	
	<b>4363-05</b>	<b>Expansion connector for square pipe 22x22 with clips</b> <i>Packing in carton: 400 pcs.</i>	
	<b>4365-05</b>	<b>Tube connector for square pipe 22x22</b> <i>Packing in carton: 500 pcs.</i>	
	<b>4367-05</b>	<b>Tube connector for square pipe 22x22 with clips</b> <i>Packing in carton: 500 pcs.</i>	
	<b>4392</b>	<b>Stainless steel clip</b> <i>Packing in carton: 1500 pcs.</i>	

## Hobby Line

### ACCESSORIES

Art.	Art. No.	Description
	<b>4102-04</b>	<b>PVC square pipe 22x22 – length: on request</b> <i>Packing in bundle : 500 pcs.</i>
	<b>4106-04</b>	<b>PVC round pipe D.25 mm x 2,4 ND 16 – length: on request</b> <i>Packing in bundle : 500 pcs.</i>
	<b>4103-08</b>	<b>PVC clear pipe ¾"</b> <i>Packing in roll: 50 m</i>
	<b>4109-05</b>	<b>PVC black pipe ¾"</b> <i>Packing in roll: 50 m</i>
	<b>4105-05</b>	<b>PVC black pipe 6x9 (for Mini-drinker)</b> <i>Packing in roll: 50 m</i>
	<b>146/D</b>	<b>PVC black pipe D. 10 mm</b> <i>Packing in roll: 100 m</i>
	<b>4315-00</b>	<b>Clip for 22x22 nipple pipe</b> <i>Packing in carton: 3000 pcs.</i>
	<b>4316-01</b>	<b>Clamp bracket for 22x22 nipple pipe</b> <i>Packing in carton: 2500 pcs.</i>

## Hobby Line

### ACCESSORIES

Art.	Art. No.	Description	
	<b>4405</b>	<b>Tube of TANGIT glue for PVC, 125 g</b> <i>Packing in carton</i>	
	<b>4411</b>	<b>Scissors for square and round pipe</b> <i>Packing in bag</i>	
	<b>4414</b>	<b>Pliers for clips</b> <i>Packing in bag</i>	
	<b>4442</b>	<b>Drill bit D. 9,1 for nipple art. 4022</b> <i>Packing in bag</i>	
	<b>4452</b>	<b>Drill bit D. 8,9 for nipple art. 145/D</b> <i>Packing in bag</i>	
	<b>4443</b>	<b>Roller tap R 1/8"</b> <i>Packing in bag</i>	
	<b>4401-05</b>	<b>Nipple key for nipple art. 145/D, 4022</b> <i>Packing in bag</i>	

## Hoby Line

### ACCESSORIES

Art.	Art. No.	Description	
	<b>170</b>	<b>Galvanised card holder dim. 11,2x17,4 cm</b> <i>Packing in carton: 50 pcs</i>	



**1571**

**Metal platform for loading/unloading eggs, ext. dim.  
63x33x50 cm – for box capacity 360 eggs**

*Packing: 1 pcs. - Vol: 0,104 m<sup>3</sup> - Kg 15*

## **GENERAL SALE CONDITIONS:**

- 1) The shipping risks are at the Customer's charge, even if the goods are supplied free domicile.
- 2) Any claim shall be made within 8 days from goods receipt or within 8 days from invoice receipt, in case of supply of services.
- 3) Any delay in the delivery doesn't allow the Customer to cancel the order, or to delay or suspend payments following receipt of goods.
- 4) The delivery of the goods is not binding and it is subordinated to possibility of production and shipment. It is understood that the Company will take care to prepare the order with the minimal delay.
- 5) Data, pictures, catalogues and references are merely illustrative and informative and can be modified without notice.
- 6) Supplier has the right to suspend the delivery in case the goods are not collected within the agreed date, and to suspend the supplies in case of failure to pay expired invoices.
- 7) Sole place of jurisdiction: PADOVA.

## **WARRANTY:**

- 1) The equipment is warranted for 12 months from the purchase date, which corresponds to the invoice date.
- 2) Warranty means the replacement or repair for free of the components or parts acknowledged as faulty from production.
- 3) For door-to-door servicing, the Buyer is required to pay the mileage allowance and to refund the board and lodging, if any. Nothing is due for the part replaced at our warehouse.
- 4) The warranty does not cover: all the electric elements, the damages caused by negligence, by lack of maintenance, by foreign bodies in the feed or water to distribute, and anyway by events not coming from the normal use of the equipment.
- 5) The warranty lapses if the equipment has been tampered with or repaired by non authorized personnel.
- 6) The warranty will not be extended following a breakdown.
- 7) Reimbursement for direct or indirect damages of any kind caused to people, things or animals by the use of the equipment is excluded.
- 8) Nobody is authorized to modify the above terms of guarantee or to issue new ones, either verbal or in written, without the written authorization by supplier

